Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13 (a)

		,					
0	9	0-	Ó	P	Q	Q	Q
ð	-0-	ф	Ф	0-	0	ф	Ф
0	-0-	-0	ø	ф	0	9	6
0	-6-	φ	0	0	0	Φ,	-0
4	V 7 7	Φ	0	-0	φ	0	0
2	-0-	0,	ф	- <u>0</u> -	0,	0	-6-
3	φ.	0	N.	. 0	þ	6	φ.
œ	5	0	0	0	ò	0	0

	9	,Ó	,ø	`د
	Ó	Ω	Ď	ď
	4		, Ø	Ø
3 (b)	3	ď	ď	Ď
	8	Ò,	Ò	
<u>-</u>	8	ß	ď)
<u></u>				

0.10

٠ کا	10	Ø	N	þ	D	Ø	0	
0	ß	9	Ò	Ğ	Ŏ,	-è	0	1
						·	. <u></u>	3
		,						
>	0-	0-	Ó	Q	o	Ģ	Ŷ	
>	-0-	ф	ф	-0-	θ,	ф	Ф	
,	٩٠,	-0-	Q	-0-	0	0	0	
2	-0-	φ	Φ)	0	-0	φ	0	
7		Φ	Φ	0	φ	φ,	φ.	

Q-

Ď Ď Ò Ď Q--0

0,0

, O Ó

Ď

Ó ğ œ́

Fig.13 (c)

		γ			-T	
	64	64		0	14	
	:	:		:	<u> </u> :	
	27	6	2	0	14	
	92	5	0 (2) 0		4	
	25	10			4	
		3 14 17 … 10 12 19 … 6	T	:	4 14 14 74 14	
	13	17	0		14	
	2	4			74/	
	4 5 6 7 8 9 10 11 12 13 25 26 27 64	677 15 16 28 29 3 5 8	1	D	<u>~</u>	
	10	5	(7 7 7 7 7	
	6	က	L	0	7	
	8	29	C	>	7	
	7	28	C	>	7	
	9	16	C	>	~	
	ည	15	c	>	7 77	
	4			1		
	က	ဖ	?	7	9	
	N	N	0	7	N)	
		-	α		-	
2	~ ~	diagonal scanning	~ ;	<u> </u>	<u>-</u>	
	horizontal scanning)	ij	ë.		ISTE	
	än	can	DCT coefficient		value of register	
	ဗ	ير ج				
	nta	ő				
	ĮŽO	ag				
	5	ਰ				
	er er					
•	ğ					
	ğ					
•	ISS:					
1	ဗ္ဗ					
•	žd 1					
40	data processing order (he					
7	5					

EOB

Fig. 14




Fig.15 Prior Art

